



*"A Century of Change Overnight"*

HPV TECHNOLOGIES LLC  
760 W. 16th St. Building C  
Costa Mesa, CA 92627



**MAD VFL 18**  
**Very High Output Subwoofer**

Phone: 949-642-6325

Fax: 949-515-4083

[www.getmad.com](http://www.getmad.com)

## **MAD VFL 18 Subwoof Speaker Specifications**

Cabinet Type: Low Frequency Horn Loaded Dipole

Frequency Response: 20Hz-100Hz, +/- 3dB, Equalized

Sensitivity: 107 dB, 1W/1m

Impedance: 8 Ohms

Long Term Maximum Output: 138 dB, 1m, 1200W RMS, one cabinet;  
144 dB, 1m, 2400W, 2 cabinets

Cabinet Construction: 3/4" Baltic Birch, strategically braced. Integrated Handles

Cabinet Dimensions: 42" wide, 22.5" high and 42" deep

Weight: 190 lb

Signal Connectors: Dual Neutrik NL4, parallel wired

Grille: 14 gauge perforated steel, black powder coated

Driver: 18", 1200W RMS, 3.5" p-p, Neodymium Motor, 4" Underhung edge wound Aluminum Coil.

Casters Mounts: 4 casters can be mounted to tee-nuts on the back of the cabinets